## Comparison of 11+ (Key Stage 2, Year 6) with YEAH

Statutory, Non-Statutory )	YEAH
umber – number and place value	
Pupils should be taught to···	
read, write, order and compare numbers up to 10 000 000 and determine the value of each digit	A-13 Large Numbers and Rounding
round any whole number to a required degree of accuracy	A-13 Large Numbers and Rounding
use negative numbers in context, and calculate intervals across zero	
solve number and practical problems that involve all of the above.	A-13 Large Numbers and Rounding
Pupils use the whole number system, including saying, reading and writing numbers accurately.	A-13 Large Numbers and Rounding
umber – addition, subtraction, multiplication and division	
Pupils should be taught to…	
multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication	A-1 Multiplication and Division
divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context	A-1 Multiplication and Division
divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context	A-1 Multiplication and Division
perform mental calculations, including with mixed operations and large numbers	(General)
identify common factors, common multiples and prime numbers	B-2 Divisor and Common Divisor, B-3 Multiple and Common Multiple, C-13 Prin Factors, and Other Number Problems
use their knowledge of the order of operations to carry out calculations involving the four operations	(General)
solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why	(General)
solve problems involving addition, subtraction, multiplication and division	(General)
use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree	
of accuracy.	(General)
Pupils practise addition, subtraction, multiplication and division for larger numbers, using the formal written methods of columnar addition and subtraction, short and long multiplication, and short and long division (see Mathematics Appendix 1).	A-1 Multiplication and Division
They undertake mental calculations with increasingly large numbers and more complex calculations.	(General)
Pupils continue to use all the multiplication tables to calculate mathematical statements in order to maintain their fluency.	(General)
Pupils round answers to a specified degree of accuracy, for example, to the nearest 10, 20, 50 etc., but not to a specified number of significant figures.	A-13 Large Numbers and Rounding
Pupils explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$ .	A-2 Rules for doing Arithmetic (§1)
Common factors can be related to finding equivalent fractions.	B-7 Fractions (2)
umber - fractions (including decimals and percentages)	
Pupils should be taught to···	
use common factors to simplify fractions; use common multiples to express fractions in the same denomination	B-7 Fractions (2)
compare and order fractions, including fractions > 1	(General)
add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions	
multiply simple pairs of proper fractions, writing the answer in its simplest form [for example, $\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}$ ]	

( Statutory, Non-Statutory )	YEAH
divide proper fractions by whole numbers [for example, $\frac{1}{3} \div_2 = \frac{1}{6}$ ] associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375] for a simple fraction	B-13 Fractions (3)
associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375] for a simple fraction [for example, $\frac{3}{8}$ ]	A-7 Fractions (1) ( § 2)
identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places	A-6 Decimals (1) (§1,2)
multiply one-digit numbers with up to two decimal places by whole numbers	A-6 Decimals (1) (§1,2)
use written division methods in cases where the answer has up to two decimal places	A-6 Decimals (1) (§1,2)
solve problems which require answers to be rounded to specified degrees of accuracy	B-6 Decimals (2)
recall and use equivalences between simple fractions, decimals and percentages, including in different contexts.	B-7 Fractions (2)
Pupils should practise, use and understand the addition and subtraction of fractions with different denominators by	2 , 112010110 (2)
identifying equivalent fractions with the same denominator. They should start with fractions where the denominator of one fraction is a multiple of the other (for example, $\frac{1}{2} + \frac{1}{8} = \frac{5}{8}$ ) and progress to varied and increasingly complex problems.	B-7 Fractions (2)
Pupils should use a variety of images to support their understanding of multiplication with fractions. This follows earlier work about fractions as operators (fractions of), as numbers, and as equal parts of objects, for example as parts of a rectangle.	B-13 Fractions (3)
Pupils use their understanding of the relationship between unit fractions and division to work backwards by multiplying a quantity that represents a unit fraction to find the whole quantity (for example, if $\frac{1}{4}$ of a length is 36cm, then the whole length is 36 $\times$ 4 = 144cm).	B-7 Fractions (2)
They practise calculations with simple fractions and decimal fraction equivalents to aid fluency, including listing equivalent fractions to identify fractions with common denominators.	B-7 Fractions (2)
Pupils can explore and make conjectures about converting a simple fraction to a decimal fraction (for example, $3 \div 8 = 0.375$ ). For simple fractions with recurring decimal equivalents, pupils learn about rounding the decimal to three decimal places, or other appropriate approximations depending on the context. Pupils multiply and divide numbers with up to two decimal places by one-digit and two-digit whole numbers. Pupils multiply decimals by whole numbers, starting with the simplest cases, such as $0.4 \times 2 = 0.8$ , and in practical contexts, such as measures and money.	B-7 Fractions (2)
Pupils are introduced to the division of decimal numbers by one-digit whole number, initially, in practical contexts involving measures and money. They recognise division calculations as the inverse of multiplication.	B-13 Fractions (3)
Pupils also develop their skills of rounding and estimating as a means of predicting and checking the order of magnitude of their answers to decimal calculations. This includes rounding answers to a specified degree of accuracy and checking the reasonableness of their answers.	B-6 Decimals (2)
atio and proportion	
upils should be taught to···	
solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts	B-13 Ratios (1)
solve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparison	C-3 Ratios (2), C-6 Concentrations
solve problems involving similar shapes where the scale factor is known or can be found	B-13 Ratios (1), D-3 Shapes and Proportions (1), D-6 Shapes and Proportio (3)
solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.	B-8 Sharing and Comparing
Pupils recognise proportionality in contexts when the relations between quantities are in the same ratio (for example, similar shapes and recipes).	D-2 Ratios (2)

( Statutory, Non-Statutory )	YEAH
Pupils should consolidate their understanding of ratio when comparing quantities, sizes and scale drawings by solving	(General)
a variety of problems. They might use the notation a:b to record their work.	(General)
Pupils solve problems involving unequal quantities, for example, 'for every egg you need three spoonfuls of flour', 's	B-13 Ratios (1), D-2 Ratios (2)
of the class are boys'. These problems are the foundation for later formal approaches to ratio and proportion.	D 10 Nacios (1), D 2 Nacios (2)
l Igebra	
Pupils should be taught to	
use simple formulae	(General)
generate and describe linear number sequences	C-1 Multiples and Divisors, D-9 Sequences
express missing number problems algebraically	A-2 Rules for doing Arithmetic (§2)
find pairs of numbers that satisfy an equation with two unknowns	D-18 Sums and Differences (§ 3,4)
enumerate possibilities of combinations of two variables.	D-18 Sums and Differences (§ 3,4)
Pupils should be introduced to the use of symbols and letters to represent variables and unknowns in mathematical	
situations that they already understand, such as:	A-2 Rules for doing Arithmetic (§3,4)
missing numbers, lengths, coordinates and angles	(General)
formulae in mathematics and science	(General)
equivalent expressions (for example, a + b = b + a)	A-2 Rules for doing Arithmetic (§2)
generalisations of number patterns	(General)
number puzzles (for example, what two numbers can add up to).	A-2 Rules for doing Arithmetic (§3,4)
easurement	
Pupils should be taught to···	
solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate	A-6 Decimals (1) (§3)
use, read, write and convert between standard units, converting measurements of length, mass, volume and time	A-6 Decimals (1) (§3)
from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to three decimal places	A o beenhale (1) (35)
convert between miles and kilometres	
recognise that shapes with the same areas can have different perimeters and vice versa	(General)
recognise when it is possible to use formulae for area and volume of shapes	A-17 Quadrilaterals, A-18 Area of a Triangle
calculate the area of parallelograms and triangles	A-17 Quadrilaterals, A-18 Area of a Triangle
calculate, estimate and compare volume of cubes and cuboids using standard units, including cubic centimetres	A-14 Cubes and Cuboids (1)
(cm <sup>3</sup> ) and cubic metres (m <sup>3</sup> ), and extending to other units [for example, mm <sup>3</sup> and km <sup>3</sup> ].	A 14 Oubes and Oubolds (1)
Pupils connect conversion (for example, from kilometres to miles) to a graphical representation as preparation for	
understanding linear/proportional graphs.	
They know approximate conversions and are able to tell if an answer is sensible.	(General)
Using the number line, pupils use, add and subtract positive and negative integers for measures such as	(General)
temperature.	( aonoral)
They relate the area of rectangles to parallelograms and triangles, for example, by dissection, and calculate their	A-17 Quadrilaterals
areas, understanding and using the formulae (in words or symbols) to do this.	r r special literatural
Pupils could be introduced to compound units for speed, such as miles per hour, and apply their knowledge in	(General)
science or other subjects as appropriate.	,

Statutory, Non-Statutory )	YEAH
eometry – properties of shapes	
Pupils should be taught to…	
draw 2-D shapes using given dimensions and angles	A-12 Triangles (1), A-17 Quadrilaterals, B-Circles (1)
recognise, describe and build simple 3-D shapes, including making nets	A-14 Cubes and Cuboids (1) (§2), B-16 Cube and Cuboids (2)
compare and classify geometric shapes based on their properties and sizes and find unknown angles in any triangles quadrilaterals, and regular polygons	A-12 Triangles (1), A-17 Quadrilaterals, C-Polygons
illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius	B-4 Circles (1)
recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles.	A-3 Properties of Angles
Pupils draw shapes and nets accurately, using measuring tools and conventional markings and labels for lines and angles.	A-14 Cubes and Cuboids (1) (§ 2)
Pupils describe the properties of shapes and explain how unknown angles and lengths can be derived from known measurements.	A-12 Triangles (1), A-17 Quadrilaterals, B-Circles (1)
These relationships might be expressed algebraically for example, $d = 2 \times r$ ; $a = 180 - (b + c)$ .	(General)
eometry - position and direction  Pupils should be taught to	
describe positions on the full coordinate grid (all four quadrants)	D 47 M 1 O1 (0)
draw and translate simple shapes on the coordinate plane, and reflect them in the axes.	D-17 Moving Shapes (2)
Pupils draw and label a pair of axes in all four quadrants with equal scaling. This extends their knowledge of one	
quadrant to all four quadrants, including the use of negative numbers.	
Pupils draw and label rectangles (including squares), parallelograms and rhombuses, specified by coordinates in the	
four quadrants, predicting missing coordinates using the properties of shapes. These might be expressed algebraically for example, translating vertex $(a, b)$ to $(a - 2, b + 3)$ ; $(a, b)$ and $(a + d, b + d)$ being opposite vertices of	
a square of side d.	
a square or side d.	
tatistics	
Pupils should be taught to···	
interpret and construct pie charts and line graphs and use these to solve problems	
calculate and interpret the mean as an average.	C-2 Averages
Pupils connect their work on angles, fractions and percentages to the interpretation of pie charts.	
Pupils both encounter and draw graphs relating two variables, arising from their own enquiry and in other subjects.	
They should connect conversion from kilometres to miles in measurement to its graphical representation.	
Pupils know when it is appropriate to find the mean of a data set.	C-2 Averages